Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

Part

DECK LOG BOOK

OF THE

U.S.S. ABILITY

MSO-519
IDENTIFICATION NUMBER

COMMANDED BY

LCDR. W. L. HOUGH, U. S. N.

Attached to EIGHTY-FIFTH MINE Division,
EIGHTH MINE Squadron,
_____ Flotilla,
U. S. ATLANTIC Fleet,
SIXTH Naval District,

Commencing 0000 1 FEBRUARY, 1960,
(zone time and date)

at CHARLESTON, SOUTH CAROLINA,
(location)

and ending 2400 29 FEBRUARY, 1960,
(zone time and date)

at CHARLESTON, SOUTH CAROLINA
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MON (Day) 1 (Date) FEB (Month), 19 60

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	010	6	2	OVC	2990	46	44	10	6500	ST			
02	010	10	2	OVC	2992	47	44	10	6500	ST			
03	010	8	2	OVC	2993	47	44	10	2500	NS/ST			
04	010	8	2	OVC	2993	45	41	10	2500	AC/ST			
05	010	8	2	BKN	2996	45	41	8	2500	AC/ST			
06	010	8	2	BKN	2996	45	41	8	2500	AC/ST			
07	090	8	6	BKN	2998	45	41	8	2500	AC/ST			
08	090	8	6	BKN	3001	45	41	7	2500	AC/ST			
09	090	8	6	BKN	3003	45	41	7	2500	AC/ST			
10	090	8	6	BKN	3004	47	44	7	2500	AC/ST			
11	090	8	6	BKN	3001	48	45	6	2500	AC/ST			
12	090	8	6	BKN	3001	50	47	6	2500	AC/ST			
13	090	8	6	BKN	3001	51	46	6	2500	AC/ST			
14	090	8	6	BKN	3001	52	48	6	2500	AC/ST			
15	090	8	6	BKN	3003	53	50	6	2500	AC/ST			
16	000	10	10	SCT	3005	54	51	5	2500	AC/ST			
17	350	3	10	SCT	3005	55	52	3	2500	CI			
18	330	3	10	SCT	3008	55	52	3	3000	CI			
19	330	5	10	CLR	3007	55	52						
20	330	5	10	CLR	3007	53	50						
21	330	3	10	CLR	3007	50	47						
22	330	3	10	CLR	3007	50	~~47~~						
23	330	3	10	CLR	3007	50	46						
24	330	3	8	CLR	3009	52	48						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA BERTH THREE AT U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI AND CONDITION YOKE IS SET.

T G Wilkinson
ENS USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED CREW ON STATION. ABSENTEES: NONE

T G Wilkinson
ENS USNR

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Richards U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____, 19____
(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 1 (Date) FEBRUARY (Month), 19 60

ØØ-12 MOORED AS BEFORE.

D.L. Boyer
ENS. USN

12-16 MOORED AS BEFORE.

D.L. Boyer
ENS. USN

16-2Ø MOORED AS BEFORE

D.L. Boyer
ENS. USN

2Ø-24 MOORED AS BEFORE

D.L. Boyer
ENS. USN

APPROVED:
W. L. Dough, LCDR, U. S. N. COMMANDING

EXAMINED:
[signature] LT/G U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 2 (Date) FEBRUARY (Month), 19 60

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	230	3	8	CLR	3009	51	48						
02	230	3	8	CLR	3009	50	47						
03	230	3	8	CLR	3008	47	44						
04	230	4	8	CLR	3007	47	44						
05	020	4	2	F	3007	43	40	10	1000	ST			
06	020	4	2	F	3007	45	41	10	500	ST			
07	020	2	5	SCT	3010	50	47	5	1200	ST			
08	080	2	4	SCT	3009	50	47	5	1000	ST			
09	150	2	3	H	3011	61	58	3	1000	ST			
10	200	2	4	H	3011	61	58	3	1000	ST			
11	235	1	4	H	3012	58	55	2	1000	ST			
12	235	4	7	CLR	3009	60	56						
13	250	5	8	CLR	3006	60	56						
14	250	4	10	CLR	3003	60	56						
15	200	5	10	CLR	3002	60	56						
16	150	4	10	CLR	3002	60	56						
17	150	11	10	CLR	3002	60	56						
18	150	11	8	CLR	3003	60	56						
19	150	11	3	OVC	3004	60	56	10	1200	ST			
20	200	10	2	F	3004	52	48	10	800	ST			
21	200	4	0	F	3006	51	47	10	800	ST			
22	220	2	0	F	3006	50	46	10	500	ST			
23	205	2	0	F	3006	50	46	10	500	ST			
24	205	2	0	F	3004	50	46	10	500	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO BERTH 3, PIER D, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

D. C. Boyn
ENS. USN

Φ4-Φ8 MOORED AS BEFORE. Φ75Φ MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. C. Boyn
ENS. USN

APPROVED: W. S. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Hicks LT(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 2 (Date) FEBRUARY (Month), 19 60

08-12 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

12-16 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

16-20 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

20-24 MOORED AS BEFORE

J.K. Hicks
LTJG USN

APPROVED:

W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED:

J.K. Hicks 2ND U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 3 (Date) FEBRUARY (Month), 19 60

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	205	2	1	F	3008	50	46	10	800	ST			
02	205	2	1	F	3008	50	46	10	800	ST			
03	205	2	1	F	3010	50	46	10	800	ST			
04	205	2	1	F	3010	50	46	10	800	ST			
05	205	3	1	F	3012	44	41	10	800	ST			
06	205	4	2	F	3012	44	41	10	800	ST			
07	205	11	4	SCT	3012	45	42	3	20,000	C1			
08	205	11	5	SCT	3014	49	45	3	20,000	C1			
09	205	11	5	SCT	3017	49	45	3	20000	C1			
10	205	11	6	SCT	3020	47	44	3	20,000	C1			
11	205	11	7	SCT	3021	48	45	4	20,000	C1			
12	205	11	7	SCT	3021	48	45	4	20,000	C1			
13	205	11	7	SCT	3021	50	46	4	20,000	C1			
14	205	11	7	SCT	3021	50	46	4	20,000	C1			
15	205	10	7	SCT	3020	49	46	5	20,000	C1			
16	175	10	7	OVC	3020	48	45	10	20,000	C1			
17	175	10	7	OVC	3021	47	44	10	20,000	C1			
18	100	10	7	OVC	3023	47	44	10	20,000	C1			
19	075	10	7	OVC	3025	47	44	10	20,000	C1			
20	075	10	7	OVC	3025	47	44	10	20,000	C1			
21	075	10	7	OVC	3026	46	41	10	20,000	C1			
22	075	10	7	OVC	3026	46	41	10	20,000	C1			
23	075	10	7	OVC	3025	46	42	10	20,000	C1			
24	075	10	6	OVC	3025	46	42	10	20,000	C1			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 3, PIER D, U.S. NAVAL SHIPYARD, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS AND VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III SET.

J.K. Hicks
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

J.K. Hicks
LTJG USN

APPROVED: W.L. Waugh, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Wed (Day) 3 (Date) Feb (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Hough, LCDR. U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Thurs. (Day) 4 (Date) Feb (Month), 19 60

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	075	10	5	OVC	3024	46	43	10	18,000	CI			
02	075	10	5	OVC	3024	46	43	10	18,000	CI			
03	075	10	5	OVC	3024	46	43	10	10,000	CI			
04	030	10	6	OVC	3023	46	43	10	10,000	CI			
05	030	12	6	OVC	3022	44	41	10	1800	CU			
06	030	15	6	OVC	3021	44	41	10	1800	CU			
07	030	15	6	BKN	3020	47	44	7	1800	CU			
08	030	13	6	BKN	3023	48	45	7	1800	CU			
09	030	10	6	BKN	3024	51	48	8	1800	CU			
10	050	10	6	R	3024	58	55	9	1600	CU			
11	060	10	6	OVC	3024	55	52	9	1600	CU			
12	055	10	6	OVC	3022	55	52	9	1600	CU			
13	055	15	6	OVC	3021	55	52	9	1600	CU			
14	055	15	6	OVC	3018	55	52	9	1600	CU			
15	055	15	6	OVC	3017	55	52	9	1600	CU			
16	055	15	6	OVC	3019	55	52	10	1600	CU			
17	055	15	6	OVC	3019	55	52	10	1600	CU			
18	055	10	5	R	3019	54	51	10	1600	CU			
19	055	10	5	R	3020	52	49	10	1600	CU			
20	055	10	5	R	3020	51	48	9	1600	CU			
21	055	10	5	R	3020	51	48	9	1600	CU			
22	055	10	5	R	3018	50	46	9	1600	CU			
23	060	10	5	R	3016	50	47	9	1600	CU			
24	060	15	5	R	3014	50	47	9	1600	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled. SOPA is COMINLANT at U.S. Naval Station Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving all services from the pier. Ship is in condition of readiness VI. Material condition Yoke is set.

W. J. Holloway
LT56, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none

W. J. Holloway
LT56, USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: R. Fiche LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 4 (Date) FEBRUARY (Month), 19 60

ØØ8-12 MOORED AS BEFORE

D L Boyer
ENS. USN

12-16 MOORED AS BEFORE.

D L Boyer
ENS. USN

16-2Ø MOORED AS BEFORE.

D L Boyer
ENS. USN

2Ø-24 MOORED AS BEFORE

D L Boyer
ENS. USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 5 (Date) FEBRUARY (Month), 1960

AT/~~PASSAGE~~ FROM CHARLESTON, S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	10	5	R	3011	52	49	9	2000	Cu			
02	060	10	5	R	3010	53	50	9	2000	Cu			
03	060	10	5	R	3009	53	50	9	1800	Cu			
04	060	10	5	R	3006	54	51	9	1800	Cu			
05	060	10	5	R	3003	55	52	10	1800	Cu			
06	060	10	5	R	3001	56	53	10	1800	Cu			
07	060	10	5	R	3000	58	55	10	1800	Cu/NS			
08	080	10	5	R	3007	58	55	10	1800	Cu/NS			
09	080	14	2	R	3004	61	59	9	1800	Cu/NS			
10	080	14	2	R	3001	62	59	9	1800	Cu/NS			
11	080	15	3	R	2998	63	60	9	1800	Cu/NS			
12	160	20	2	R	2996	64	61	9	1800	Cu/NS			
13	160	14	2	R	2993	64	61	9	1600	Cu/NS			
14	160	10	2	R	2991	66	63	9	1600	Cu/NS			
15	160	10	2	R	2988	67	64	9	1600	Cu/NS			
16	160	10	2	OVC	2986	68	65	10	1600	Cu/NS			
17	160	10	2	OVC	2983	67	64	10	1600	Cu			
18	160	10	1	OVC	2980	66	63	9	1600	Cu			
19	160	12	1	SCT	2977	65	62	5	1600	Cu			
20	160	12	1	SCT	2976	64	61	4	1600	Cu			
21	160	10	1	SCT	2973	64	61	4	1600	Cu			
22	160	10	1	SCT	2975	59	56	4	1600	Cu			
23	160	10	1	SCT	2977	59	56	4	1600	Cu			
24	160	10	1	SCT	2977	60	57	5	1600	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH 3, PIER D, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION "YOKE" SET.

D.L. Boyer
ENS, USN

Ø4-Ø8 MOORED AS BEFORE Ø75Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D.L. Boyer
ENS, USN

APPROVED: W.L. Waugh, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LCDR U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 FRIDAY (Day) 5 (Date) FEBRUARY (Month), 19 60

08-12 MOORED AS BEFORE

J.K. Fiske
LTJG USN

12-16 MOORED AS BEFORE

J.K. Fiske
LTJG USN

16-20 MOORED AS BEFORE

J.K. Fiske
LTJG USN

20-24 MOORED AS BEFORE.

J.K. Fiske
LTJG USN

APPROVED:

W. L. Vaughn, LCDR, U. S. N. COMMANDING

EXAMINED:

J.K. Fiske LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 6 (Date) FEB. (Month), 1960

AT/~~PASSAGE~~ FROM CHARLESTON, SO CAR. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	240	3	6	SCT	2976	59	56	5	6000	AC			
02	250	3	6	SCT	2976	58	55	5	6000	AC			
03	250	3	6	OVC	2975	57	54	10	10000	AC			
04	250	3	6	OVC	2975	57	54	10	10000	AC			
05	250	3	6	OVC	2975	55	51	10	10000	AC			
06	200	3	6	OVC	2975	55	51	9	6000	SC			
07	200	3	6	BKN	2976	55	51	8	6000	SC			
08	200	3	8	BKN	2979	57	54	7	6000	SC			
09	200	3	8	BKN	2980	62	59	7	8000	SC			
10	200	3	8	BKN	2980	62	59	7	8000	SC			
11	230	3	8	BKN	2979	66	63	7	8000	SC			
12	240	10	10	BKN	2976	64	61	7	8000	SC			
13	240	10	10	OVC	2976	64	61	9	8000	SC			
14	240	10	10	OVC	2976	64	61	10	10000	SC			
15	240	10	10	OVC	2976	62	59	10	10000	SC			
16	240	10	10	OVC	2976	62	59	10	10000	SC			
17	240	10	10	OVC	2978	58	55	10	10000	SC			
18	240	10	10	OVC	2979	55	51	9	10000	SC			
19	240	10	2	CLR	2983	54	51						
20	240	5	2	CLR	2986	54	51						
21	240	5	2	CLR	2984	53	50						
22	240	5	2	CLR	2986	53	50						
23	240	5	2	CLR	2987	52	49						
24	240	5	2	CLR	2987	51	48						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO PIER DELTA, BERTH 3, US NAVAL ~~STATION~~ SHIPYARD, CHARLESTON, S. C. WITH STANDARD MOORING LINES, DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III. MATERIAL CONDITION YOKE IS SET.

J. K. Fisher
CTSN USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. K. Fisher
CTSN USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Fisher CTSN U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sat (Day) 6 (Date) Feb (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED:

W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sun (Day) 07 (Date) Feb (Month), 19 60

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	240	9	4	CLR	2987	50	47						
02	240	9	4	CLR	2987	50	47						
03	240	9	5	CLR	2987	50	47						
04	240	9	5	CLR	2986	48	45						
05	240	9	6	CLR	2985	47	44						
06	240	9	6	CLR	2985	46	41						
07	240	9	6	CLR	2986	45	41						
08	240	10	10	CLR	2989	52	47						
09	220	10	10	CLR	2991	52	47						
10	220	10	10	CLR	2993	64	59						
11	220	10	10	CLR	2993	64	60						
12	220	11	10	CLR	2993	65	61						
13	220	11	10	CLR	2990	65	61						
14	220	12	10	CLR	2989	58	55						
15	230	12	10	SCT	2989	58	55	1	20,000	CC			
16	230	12	10	SCT	2987	58	55	2	20,000	CC			
17	230	12	10	SCT	2988	57	54	2	20,000	CS			
18	230	12	10	SCT	2989	57	54	4	6000	CS			
19	230	12	5	SCT	2991	57	54	5	6000	CS			
20	230	2	5	OVC	2993	54	51	10	6000	CS			
21	230	2	5	OVC	2995	53	50	9	6000	CS			
22	230	2	5	SCT	2998	53	50	5	6000	CS			
23	230	2	5	SCT	2998	52	49	4	6000	CS			
24	230	2	5	SCT	2998	51	48	4	6000	CS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to pier delta, berth 3, U.S. Naval Shipyard Charleston, S.C. with standard mooring lines doubled. SOPA is COMINCHINT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving all services from the pier. Ship is in condition of readiness IV. Material condition Yoke is set.

W.J. Hallaway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew on station. Absentees: none.

W.J. Hallaway
LTJG, USN

APPROVED: W.L. Haugh, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Zinke LT/C U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun (Day) 7 (Date) Feb (Month), 19 60

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before

W. J. Holloway
LTJG, USN

APPROVED: W. F. Vaughn, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Mon (Day) 8 (Date) Feb (Month), 1960

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	270	2	2	CLR	2998	50	45	0	—	—	—	—	—
02	060	10	2	CLR	2998	50	45	0	—	—	—	—	—
03	060	10	2	CLR	2998	50	45	0	—	—	—	—	—
04	010	6	3	CLR	3000	42	37	0	—	—	—	—	—
05	010	5	4	CLR	3000	40	36	0	—	—	—	—	—
06	010	5	4	CLR	~~3006~~ 3006	41	37	0	—	—	—	—	—
07	010	5	4	CLR	3001	39	36	6	—	—	—	—	—
08	010	5	5	CLR	3002	41	39	0	—	—	—	—	—
09	010	6	6	CLR	3004	44	40	0	—	—	—	—	—
10	010	6	6	CLR	3006	44	40	0	—	—	—	—	—
11	010	5	6	CLR	3006	58	50	0	—	—	—	—	—
12	100	8	10	CLR	3003	49	44	0	—	—	—	—	—
13	130	15	10	CLR	2999	49	44	0	—	—	—	—	—
14	130	15	10	CLR	2995	52	45	0	—	—	—	—	—
15	130	15	10	CLR	2992	59	46	0	—	—	—	—	—
16	205	8	10	CLR	2990	59	50	0	—	—	—	—	—
17	230	10	10	CLR	2990	59	50	0	—	—	—	—	—
18	200	10	8	CLR	2988	53	50	0	—	—	—	—	—
19	200	8	7	CLR	2988	52	48	0	—	—	—	—	—
20	200	8	5	CLR	2988	52	48	0	—	—	—	—	—
21	210	8	5	CLR	2988	52	48	0	—	—	—	—	—
22	210	7	4	CLR	2990	52	48	0	—	—	—	—	—
23	210	7	4	CLR	2989	52	48	0	—	—	—	—	—
24	220	5	2	CLR	2989	52	48	0	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled. SOPA is COMINCLANT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving all services from the pier. Material condition ~~Yoke~~ Yoke is set. Ship is in condition of readiness III.

W. J. [illegible]
Lt(jg), USN

04-08 Moored as before. 0250 Mustered the crew at quarters. Absentees: none.

W. J. [illegible]
Lt(jg), USN

APPROVED: W. L. Douglas, LCDR, U. S. N. COMMANDING

EXAMINED: [illegible] Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 MONDAY (Day) 8 (Date) FEBRUARY (Month), 19 60

08-12 MOORED AS BEFORE. 0800 COMINDIV 85 HAULED DOWN HIS PENNANT AND DEPARTED ON TAD.

J.K. Hicks
LT(jg) USN

12-16 MOORED AS BEFORE

J.K. Hicks
LT(jg) USN

16-20 MOORED AS BEFORE

J.K. Hicks
LT(jg) USN

20-24 MOORED AS BEFORE

J.K. Hicks
LT(jg) USN

APPROVED:

W.L. Houghs, LCDR, U. S. N. COMMANDING

EXAMINED:

J.K. Hicks LT(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE ~~MON~~ TUESDAY (Day) 9 (Date) FEBRUARY (Month), 1960

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	220	6	2	CLR	2987	51	47	0	—	—	—	—	—
02	220	5	1	CLR	2986	51	47	0	—	—	—	—	—
03	230	7	1	SCT	2985	51	47	5	6500	ST	—	—	—
04	235	6	6	SCT	2982	52	48	3	3000	ST	—	—	—
05	235	5	6	SCT	2981	52	48	3	3000	ST	—	—	—
06	235	4	6	SCT	2981	51	48	3	3000	ST	—	—	—
07	235	4	4	H	2982	50	48	3	2000	ST	—	—	—
08	235	3	6	SCT	2985	60	53	2	2000	ST	—	—	—
09	235	3	6	SCT	2988	64	58	2	2000	ST	—	—	—
10	235	3	6	SCT	2989	70	61	2	2000	ST	—	—	—
11	235	3	6	SCT	2986	71	63	4	2000	ST	—	—	—
12	235	5	6	SCT	2982	71	63	4	2000	CU	—	—	—
13	235	8	6	SCT	2979	70	63	4	2000	CU	—	—	—
14	235	8	6	SCT	2976	70	61	4	2000	CU	—	—	—
15	180	10	6	SCT	2975	67	60	4	2000	CU	—	—	—
16	180	10	6	SCT	2978	65	60	4	2000	CU	—	—	—
17	188	10	6	SCT	2976	65	59	4	2000	CU	—	—	—
18	190	10	5	SCT	2975	64	58	4	2000	CU	—	—	—
19	190	10	5	SCT	2975	62	58	4	2000	CU	—	—	—
20	190	10	5	SCT	2977	62	56	5	2000	CU	—	—	—
21	190	10	5	SCT	2977	60	56	5	2000	CU	—	—	—
22	190	10	5	SCT	2976	60	55	5	2000	CU	—	—	—
23	190	10	5	SCT	2976	60	55	5	2000	CU	—	—	—
24	190	10	5	CLR	2976	60	55	0	0	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA, BERTH 3, US NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES, DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC ACTIVE AND RESERVE FLEETS AND VARIOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET.

J. F. Fischer
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

J. F. Fischer
LTJG USN

APPROVED: W. L. Doyle, LCDR, U. S. N. COMMANDING

EXAMINED: J. F. Fischer LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Tues. (Day) 9 (Date) Feb (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Wroughe, LCDR, U. S. N. COMMANDING

EXAMINED: R. K. Hutchinson LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Wed (Day) 10 (Date) Feb. (Month), 1960

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	190	10	5	CLR	2977	60	56	0	—	—	—	—	—
02	190	10	5	CLR	2976	58	55	0	—	—	—	—	—
03	190	10	5	CLR	2976	58	58	0	—	—	—	—	—
04	190	10	4	BKN	2977	60	58	5	5000	C 1	—	—	—
05	190	10	4	BKN	2977	60	56	5	5000	C 1	—	—	—
06	190	10	4	BKN	2977	59	57	5	5000	C 1	—	—	—
07	190	10	3	BKN	2976	60	60	5	5000	C 1	—	—	—
08	190	10	6	BKN	2978	63	63	5	5000	C 1	—	—	—
09	190	12	7	BKN	2979	65	68	5	5000	C 1	—	—	—
10	190	15	8	BKN	2979	68	70	5	5000	C 1	—	—	—
11	190	15	8	BKN	2978	69	70	5	5000	C 1	—	—	—
12	210	13	5	BKN	2978	69	71	5	5000	C 1	—	—	—
13	210	25	5	SCT	2975	70	71	5	5000	CU-SC	—	—	—
14	160	25	8	CLR	2972	70	71	0	—	—	—	—	—
15	210	25	8	SCT	2969	71	68	5	5000	C1-SC	—	—	—
16	210	35	8	SCT	2968	69	68	5	5000	C1-SC	—	—	—
17	210	35	8	SCT	2961	68.5	68.5	5	5000	C1-SC	—	—	—
18	210	35	8	SCT	2959	67	67	5	5000	C1-SC	—	—	—
19	210	35	8	SCT	2957	67	67	5	5000	C1-SC	—	—	—
20	210	35	9	SCT	2959	68	68	5	5000	C1-SC	—	—	—
21	210	35	9	SCT	2958	68	67	5	5000	C1-SC	—	—	—
22	210	36	9	SCT	2957	67	67	5	5000	C1-SC	—	—	—
23	210	37	9	SCT	~~2958~~ 2957	66	66	5	5000	C1-SC	—	—	—
24	210	35	5	SCT	2960	68	67	5	5000	C1-SC	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled. SOPA is COMINCLANT. Ships present include various units of the U.S. Atlantic and Reserve Fleets, plus various yard and district craft. Receiving all services from the pier. Ship is in condition of readiness III. Material condition Yoke is set.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew at quarters. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Fiske LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 10 (Date) FEBRUARY (Month), 19 60

0800-1200 MOORED AS BEFORE.

D L Boyer
ENS. USN

1200-1600 MOORED AS BEFORE

D L Boyer
ENS. USN

1600-2000 MOORED AS BEFORE

D L Boyer
ENS. USN

2000-2400 MOORED AS BEFORE

D L Boyer
ENS. USN

APPROVED: W. F. Haugh, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LT (jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 11 (Date) FEBRUARY (Month), 1960

AT/~~PASSAGE FROM~~ CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	210	35	4	R	2962	67	67	—	—	—	—	—	—
02	210	30	4	R	2962	62	62	—	—	—	—	—	—
03	205	30	4	R	2962	61	61	—	—	—	—	—	—
04	205	15	H	OVC	2963	63	63	9	5000	CU	/	/	/
05	215	15	H	OVC	2964	63	63	5	5000	CU	—	—	—
06	215	15	H	OVC	2966	62	62	5	5000	CU	—	—	—
07	210	15	H	OVC	2970	60	60	9	10000	CU	—	—	—
08	205	3	H	CLR	2973	65	62	—	—	—	—	—	—
09	180	2	6	CLR	2974	73	68	—	—	—	—	—	—
10	180	2	7	CLR	2979	77	71	—	—	—	—	—	—
11	180	2	8	CLR	2980	77	72	—	—	—	—	—	—
12	180	8	10	CLR	2981	75	73	—	—	—	—	—	—
13	240	8	10	CLR	2980	73	72	—	—	—	—	—	—
14	240	8	10	CLR	2983	73	72	—	—	—	—	—	—
15	240	8	10	CLR	2984	73	72	—	—	—	—	—	—
16	240	6	10	CLR	2985	71	71	—	—	—	—	—	—
17	245	6	10	CLR	2987	70	70	—	—	—	—	—	—
18	245	6	8	CLR	2990	69	69	—	—	—	—	—	—
19	255	4	7	CLR	2994	69	68	—	—	—	—	—	—
20	250	4	7	CLR	2997	64	62	—	—	—	—	—	—
21	250	3	6	CLR	3000	60	60	—	—	—	—	—	—
22	245	3	6	CLR	3002	58	57	—	—	—	—	—	—
23	245	5	2	CLR	3004	53	53	—	—	—	—	—	—
24	250	5	2	CLR	3004	53	53	—	—	—	—	—	—
~~250~~													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO PIER "D" BERTH 1Ø3 WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. ~~W~~ SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET. DCB

D.L. Boyer
ENS. USN

Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

D.L. Boyer
ENS. USN

APPROVED:

W. F. Waugh, LCDR, U. S. N. COMMANDING

EXAMINED:

J. K. Fisher LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 11 (Date) FEBRUARY (Month), 19 60

08-12 MOORED AS BEFORE

J. K. Fisher
LT(jg) USN

12-16 MOORED AS BEFORE.

J. K. Fisher
LT(jg) USN

16-20 MOORED AS BEFORE.

J. K. Fisher
LT(jg) USN

20-24 MOORED AS BEFORE

J. K. Fisher
LT(jg) USN

APPROVED:

W. L. Dough, LCDR, U. S. N. COMMANDING

EXAMINED:

J. K. Fisher LT(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRI (Day) 12 (Date) FEB (Month), 19 60

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	260	7	2	CLR	3006	52	50	0	—	—	—	—	—
02	280	8	2	CLR	3006	48	49	0	—	—	—	—	—
03	290	5	2	CLR	3006	43	42	0	—	—	—	—	—
04	295	3	6	CLR	3008	43	42	0	—	—	—	—	—
05	295	3	6	CLR	3010	42	42	0	—	—	—	—	—
06	300	3	6	SCT	3012	42	41	4	3000	AC	—	—	—
07	300	3	6	SCT	3015	42	40	4	3000	AS/AC	—	—	—
08	030	5	6	BKN	3017	45	44	7	3000	AS/AC	—	—	—
09	040	5	6	BKN	3020	45	44	7	3000	AS/AC	—	—	—
10	030	7	6	SCT	3020	45	44	3	6000	AC	—	—	—
11	355	7	6	SCT	3020	50	49	2	60000	AC	—	—	—
12	180	2	6	SCT	3020	54	53	2	6000	AC	—	—	—
13	180	2	4	SCT	3016	55	54	2	6000	CU	—	—	—
14	330	2	6	BKN	3012	60	58	6	6000	CU	—	—	—
15	300	4	6	BKN	3010	56	49	7	6000	CU	—	—	—
16	300	4	6	BKN	3010	56	49	7	6000	CU	—	—	—
17	270	4	6	BKN	3010	53	48	7	6000	CU	—	—	—
18	280	4	6	BKN	3010	52	48	7	6000	CU	—	—	—
19	280	5	4	BKN	3010	51	49	7	6000	CU	—	—	—
20	160	5	2	R	3009	51	51	10	1600	NS	—	—	—
21	350	7	1	R	3010	51	51	10	1600	NS	—	—	—
22	070	7	1	R	3010	50	50	10	1600	NS	—	—	—
23	255	4	1	R	3006	50	50	10	1600	NS	—	—	—
24	355	10	1	R	3005	49	48	10	1600	NS.	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

(Code)

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA, BERTH 3, US NAVAL SHIPYARD, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS, PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS VI AND MATERIAL CONDITION YOKE SET.

J.K. Hicks
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.K. Hicks
LTJG USN

APPROVED: W.F. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Fri (Day) 12 (Date) Feb. (Month), 19 60

08-12 Moored as before, 0814 Commenced test of main engines. 1100 Secured main engines.

W. L. Holloway
LTJG, USN

12-16 Moored as before. 1300 Commenced test of main engines. 1515 Secured testing of main engines.

W. L. Holloway
LTJG, USN

16-20 Moored as before.

W. L. Holloway
LTJG, USN

20-24 Moored as before.

W. L. Holloway
LTJG, USN

APPROVED: W. L. Waugh, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG, USN U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sat (Day) 13 (Date) Feb (Month), 1960

AT/PASSAGE FROM Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	150	4	2	OVC	3000	50	50	10	1600	NS			
02	150	5	2	R	3000	48	48	—	—	—			
03	150	5	2	R	2999	47	47	—	—	—			
04	150	5	2	R	2993	47	47	—	—	—			
05	150	4	2	OVC	2992	47	47	10	1600	NS			
06	150	4	2	R	2989	46	46	—	—	—			
07	150	4	2	R	2987	46	46	—	—	—			
08	270	5	5	R	2984	46	46	—	—	—			
09	270	7	5	R	2981	45	45	—	—	—			
10	270	4	7	R	2978	45	45	—	6500	AS/NS			
11	270	6	7	OVC	2976	45	45	10	1000	NS			
12	045	14	5	RW	2977	47	46	10	1000	NS			
13	045	14	5	RW	2973	47	47	10	1000	NS			
14	045	5	5	RW	2970	50	50	10	1000	NS			
15	350	6	5	RW	2967	51	51	10	1000	ST			
16	040	5	2	RW	2963	49	48	10	200	ST			
17	040	5	2	OVC	2963	47	47	10	200	ST			
18	230	5	2	F	2959	47	47	—	—	—			
19	250	5	2	F	2956	53	52	—	—	—			
20	250	5	5	OVC	2952	53	51	9	1600	NS			
21	250	5	5	OVC	2956	52	51	9	1600	NS			
22	250	5	7	OVC	2958	53	52	9	1600	NS			
23	250	12	7	OVC	2960	52	52	9	1600	NS			
24	250	15	5	OVC	2960	50	50	9	1500	NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINCHAT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets, plus various yard and district craft. Receiving all services from the pier. Ship is in condition of readiness III. Material condition Yoke is set.

W.J. Mallowney
QTSG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

W.J. Mallowney
QTSG, USN

APPROVED: W.F. Doughty, LCDR, U.S.N. COMMANDING

EXAMINED: J.C. Fitch, LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sat (Day) 13 (Date) Feb (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sun. (Day) 14 (Date) Feb (Month), 19 66

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	270	10	5	OVC	2962	50	50	10	1000	NS	—	—	—
02	270	10	5	OVC	2964	44	44	10	1000	NS	—	—	—
03	270	12	5	OVC	2968	44	42	10	1000	NS	—	—	—
04	270	12	5	OVC	2970	48	47	10	1000	NS	—	—	—
05	270	12	5	OVC	2972	48	47	10	1000	NS	—	—	—
06	270	12	5	OVC	2976	46	40	10	1000	NS	—	—	—
07	270	12	8	BKN	2980	39	39	9	5000	CU	—	—	—
08	270	12	8	BKN	2982	39	39	9	1600	CU	—	—	—
09	270	10	8	F	2986	41	41	9-					
10	270	10	8	BKN	2990	46	46	9	1600	CU			
11	270	10	8	CLR	2992	47	47	—	—	—	—	—	—
12	270	10	8	CLR	2996	47	41	—	—	—	—	—	—
13	270	10	8	CLR	2998	46	39	—	—	—	—	—	—
14	270	10	8	CLR	3001	48	42	—	—	—	—	—	—
15	270	10	8	CLR	3002	48	42	—	—	—	—	—	—
16	270	5	8	CLR	3004	49	48	—	—	—	—	—	—
17	270	5	10	CLR	3007	48	47	—	—	—	—	—	—
18	270	5	10	CLR	3009	40	47	—	—	—	—	—	—
19	270	5	10	CLR	3012	48	44	—	—	—	—	—	—
20	270	5	10	CLR	3015	48	42	—	—	—	—	—	—
21	270	5	10	CLR	3018	44	40	—	—	—	—	—	—
22	270	5	10	CLR	3020	44	38	—	—	—	—	—	—
23	270	5	10	CLR	3020	42	37	—	—	—	—	—	—
24	270	7	8	CLR	3023	40	34	—	—	—	—	—	—

POSITION	ZONE	TIME
0600		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled. SOPA is COMINCLANT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness III. Receiving all services from the pier. Material condition Yoke is set.

W.J. Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: ~~Hofer, Charles R., STR 09 06, SN, USN AWOL from 0000 this date.~~ none

W.J. Holloway
LTJG, USN

APPROVED: W.L. Haughey, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun (Day) 14 (Date) Feb. (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before. 1200 Hofer, Charles R., SIR 09 06, SN, USN
AOL from 1200 this date.

W. J. Holloway
LTJG, USN

16-20 Moored as before

W. J. Holloway
LTJG, USN

20-24 Moored as before. 2225 Hofer, Charles R., SIR 09 06, SN, USN
reported aboard having been AOL since 1200 this date.

W. J. Holloway
LTJG, USN

APPROVED:

W. F. Hough, LCDR, U. S. N. COMMANDING

EXAMINED:

W. Fiehn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 518) ZONE DESCRIPTION +5 DATE Mon (Day) 15 (Date) Feb (Month), 19 66

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	9	8	CLR	3026	39	36						
02	270	7	8	CLR	3026	37	34						
03	270	7	8	CLR	3026	36	33						
04	270	5	8	CLR	3026	35	32						
05	270	5	8	CLR	3026	34	32						
06	310	2	8	CLR	3026	33	31						
07	310	2	8	CLR	3026	34	32						
08	340	2	8	CLR	3028	35	32						
09	340	2	10	CLR	3030	36	33						
10	340	2	10	CLR	3034	45	36						
11	340	2	10	SCT	3034	52	40	1	30000	CI			
12	300	3	10	SCT	3031	49	41	2	25000	CI			
13	300	3	10	SCT	3030	47	40	4	25000	CI			
14	290	3	10	SCT	3026	47	40	4	25000	CI			
15	280	3	10	SCT	3024	47	43	4	25000	CI			
16	350	3	10	SCT	3023	49	44	4	25000	CC			
17	350	6	10	SCT	3024	47	43	4	25000	CC			
18	350	6	10	SCT	3024	47	43	4	25000	CC			
19	000	6	10	SCT	3021	49	42	4	25000	CC			
20	000	6	7	SCT	3021	46	42	4	25000	CC			
21	100	6	6	SCT	3022	44	41	4	25000	CC			
22	130	6	5	SCT	3022	43	40	4	25000	CC			
23	130	6	4	SCT	3022	43	40	4	25000	CC			
24	130	6	4	SCT	3020	42	41	4	25000	CC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled. SOPA is COMINLANT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets, plus various yard and district craft. Receiving all services from the pier. Ship is in condition of readiness III. Material condition Yoke is set.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew at quarters. Absentees: none

W. J. Holloway
LTJG, USN

APPROVED: W. F. Hughes, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Monday (Day) 15 (Date) Feb (Month), 19 60

08-12 Moored As Before. 1030 The Commanding Officer held Mast And imposed Non-Judicial Punishment As Follows:
Hofer, Charles E, 518 09 60, SN, USN, Offense: Violation of Article 86 UCMJ, Absent over Leave. Punishment: Restriction to the Limits of the Ship for Two weeks commencing This date.

W.J. Holloway
LTJG, USN

12-16 Moored As Before

W.J. Holloway
LTJG, USN

16-20 Moored As Before

W.J. Holloway
LTJG, USN

20-24 Moored As Before

W.J. Holloway
LTJG, USN

APPROVED: W.F. Dough, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE TUES (Day) 16 (Date) FEB (Month), 1960

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	135	2	3	SCT	3020	42	40	4	20,000	CC			
02	135	2	3	SCT	3020	43	39	4	20,000	CC			
03	135	1	3	SCT	3019	41	37	4	20,000	CC			
04	135	2	3	SCT	3019	39	45	5	18,000	CC			
05	130	2	3	SCT	3017	39	45	5	18,000	CC			
06	130	2	3	SCT	3017	39	45	5	18,000	CC			
07	130	2	3	SCT	3018	46	42	5	18,000	CC			
08	270	2	5	BKN	3019	48	44	8	18,000	CC			
09	270	2	5	BKN	3020	51	47	8	18,000	CC			
10	270	2	8	SCT	3021	52	48	5	18,000	CC			
11	100	2	8	SCT	3020	60	56	3	18,000	CC			
12	170	3	8	CLR	3017	56	53						
13	270	4	8	CLR	3015	57	53						
14	270	4	8	CLR	3012	58	54						
15	270	4	8	CLR	3010	56	52						
16	180	5	8	CLR	3010	54	51						
17	190	5	8	CLR	3011	53	50						
18	190	5	8	CLR	3012	53	50						
19	190	5	8	CLR	3012	52	48						
20	200	5	8	CLR	3010	49	45						
21	225	5	8	CLR	3010	49	45						
22	225	5	8	CLR	3010	47	43						
23	225	5	8	CLR	3010	46	42						
24	225	5	8	CLR	3009	46	42						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0000 ~~END~~
0004 MOORED PORT SIDE TO ~~PIER~~ PIER DELTA, BERTH 3, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE IS SET. RECEIVING ALL SERVICES FROM THE PIER. SHIP IS IN A CONDITION OF READINESS VI.

W.J. Holloway
LTJG, USN

0408 MOORED AS BEFORE, 0750 MUSTERED THE CREW AT QUARTERS.
ABSENTEES: NONE

W.J. Holloway
LTJG, USN

APPROVED: W.L. Nough, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Fisher LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 16 (Date) FEBRUARY (Month), 1960

08-12 MOORED AS BEFORE.

J.K. Fiehn
LTJG USN

12-16 MOORED AS BEFORE.

J.K. Fiehn
LTJG USN

16-20 MOORED AS BEFORE.

J.K. Fiehn
LTJG USN

20-24 MOORED AS BEFORE

J.K. Fiehn
LTJG USN

APPROVED:

W.F. Hough, LCDR, U. S. N. COMMANDING

EXAMINED:

K. Fiehn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 17 (Date) FEBRUARY (Month), 19 60

AT/~~PASSAGE FROM~~ CHARLESTON, S. C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	225	5	8	CLR	30.10	45	43						
02	225	5	8	CLR	30.10	44	43						
03	225	5	8	CLR	30.11	45	43						
04	315	2	1	F	30.11	43	42	10	1000	CS			
05	315	2	1	F	30.12	42	41	10	1000	CS			
06	315	2	1	F	30.12	42	41	10	1000	CS			
07	315	2	9	SCT	30.12	41	40	4	6500	SC			
08	315	4	8	BKN	30.11	43	43	8	6500	SC			
09	315	4	10	BKN	30.11	50	49	9	6500	AC			
10	130	6	10	BKN	30.11	56	54	8	6500	AC			
11	130	5	10	BKN	30.11	63	61	6	6500	SC			
12	130	5	10	BKN	30.10	61	59	6	6500	SC			
13	150	5	10	BKN	30.08	60	57	6	6500	SC			
14	150	7	10	BKN	30.06	60	57	6	6500	SC			
15	150	7	10	BKN	30.06	60	57	6	6500	SC			
16	150	7	10	BKN	30.06	59	56	6	6500	SC			
17	150	7	10	BKN	30.04	56	52	6	6500	SC			
18	150	7	10	BKN	30.02	55	53	7	6500	AC			
19	150	7	7	BKN	30.01	54	51	7	6500	AC			
20	150	7	6	BKN	30.00	53	50	7	6500	AC			
21	200	7	6	BKN	30.00	53	50	7	6500	AC			
22	350	4	6	SCT	29.99	52	49	4	6500	AC/CU			
23	020	3	6	SCT	29.99	51	48	2	2000	AC/CU			
24	020	2	4	SCT	29.99	50	48	2	2000	AC/CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO PIER DELTA, BERTH 3, US NAVAL SHIPYARD, CHARLESTON, S. C., WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE SET.

J. K. Hichm
LTJG USN

04-08 MOORED AS BEFORE 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. K. Hichm
LTJG USN

APPROVED: W. L. Dough, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Hichm LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) ~~THURSDAY~~ WEDNESDAY (Day) 17 (Date) FEB (Month), 19 60

08-12 MOORED AS BEFORE

T G Wilkinson
ENS USNR

12-16 MOORED AS BEFORE

T G Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

T G Wilkinson
ENS USNR

20-24 MOORED AS BEFORE

T G Wilkinson
ENS USNR

APPROVED: W. L. Vaughn, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Ficke LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNEY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 18 (Date) FEB (Month), 19 60

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	3	2	SCT	2990	52	49	2	2000	CU			
02	050	3	2	SCT	2990	52	49	2	2000	CU			
03	050	3	2	SCT	2989	51	48	2	2000	CU			
04	050	3	2	BKN	2984	51	48	8	2000	CU			
05	050	3	2	BKN	2982	51	48	8	2000	CU			
06	050	3	2	BKN	2978	51	48	8	2000	CU			
07	050	3	2	BKN	2976	62	54	8	2000	CU			
08	045	7	8	BKN	2974	69	63	8	2000	CU			
09	025	8	6	BKN	2971	67	64	7	2000	CU			
10	025	8	8	BKN	2969	64	61	7	2000	CU			
11	025	8	6	R	2967	63	60	10	2000	CU			
12	025	20	6	OVC	2962	66	63	10	2000	ST			
13	225	20	6	BKN	2959	67	64	9	2000	CU/ST			
14	225	20	6	SCT	2955	66	63	4	3000	CU/ST			
15	065	20	6	SCT	2957	65	62	4	3000	CU			
16	065	20	6	SCT	2953	58	55	4	3000	CU			
17	065	15	6	SCT	2958	53	50	4	3000	CU			
18	065	20	6	SCT	2960	51	48	4	3000	CU			
19	055	15	6	SCT	2964	48	45	3	3000	CU			
20	085	15	4	SCT	2970	46	42	3	2000	CU			
21	085	15	4	CLR	2978	44	41	0	2000	CU			
22	085	15	5	CLR	2980	43	40	0					
23	085	15	4	CLR	2983	42	39	0					
24	085	15	4	CLR	2986	42	39	0					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA BERTH THREE AT U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS RIG OUT FORE AND AFT. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE IS SET.

T G Wilkinson
ENS USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE

T G Wilkinson
ENS USNR

APPROVED: W. F. Waugh, LCDR U. S. N. COMMANDING

EXAMINED: J. K. Hicks LT U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (CMSO 519) Thurs (Day) 18 (Date) Feb (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before. 1745 Exercised at in port fire drill.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Vaughn, LCDR, U. S. N. COMMANDING

EXAMINED: H. Hicks LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 518) ZONE DESCRIPTION +5 DATE Fri (Day) 19 (Date) Feb (Month), 1966

AT/PASSAGE FROM Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	10	4	CLR	2991	40	37						
02	085	10	4	CLR	2993	37	34						
03	085	10	4	CLR	2995	36	33						
04	070	5/10	4	CLR	2997	36	33						
05	070	5/10	4	CLR	3000	35	31						
06	070	5/10	4	CLR	3002	36	33						
07	070	5	4	CLR	3008	48	45						
08	280	5	8	CLR	3012	52	48						
09	280	10	8	CLR	3014	54	51						
10	280	10	8	CLR	3013	54	51						
11	280	15	8	CLR	3013	56	52						
12	300	15	10	CLR	3012	55	51						
13	300	15	10	CLR	3011	54	50						
14	300	15	10	CLR	3010	55	52						
15	300	15	10	CLR	3011	53	50						
16	300	10	10	CLR	3012	52	50						
17	300	10	10	CLR	3015	51	48						
18	300	10	10	CLR	3018	50	52						
19	255	10	10	CLR	3020	56	52						
20	285	4	5	CLR	3017	38	44						
21	340	4	5	CLR	3024	46	42						
22	300	6	5	CLR	3024	44	41						
23	300	6	5	CLR	3023	43	40						
24	300	8	5	CLR	3024	42	39						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft. SOPA is COMIDLANT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving all services from the pier. Material condition Yoke is set. Ship is in condition of readiness IV.

W.D. Holloway
LT(JG), USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W.D. Holloway
LT(JG), USN

APPROVED: W.L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 FRIDAY (Day) 19 (Date) Feb (Month), 1960

08-12 MOORED AS BEFORE.

W. K. Stiehm
LT/G USN

12-16 MOORED AS BEFORE.

W. K. Stiehm
LT/G USN

16-20 MOORED AS BEFORE.

W. K. Stiehm
LT/G USN

20-24 MOORED AS BEFORE

W. K. Stiehm
LT/G USN

APPROVED:

W. L. Vaughn, LCDR, U. S. N. COMMANDING

EXAMINED:

W. K. Stiehm LT/G USN U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5 DATE SATURDAY (Day) 20 (Date) FEBRUARY (Month), 19 60

AT/~~PASSAGE~~ FROM CHARLESTON S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	300	10	8	CLR	3024	40	36						
02	300	10	8	CLR	3025	39	35						
03	300	10	8	CLR	3027	38	34						
04	300	10	8	CLR	3028	36	32						
05	300	10	8	CLR	3029	37	33						
06	300	10	8	CLR	3031	35	31						
07	300	10	8	CLR	3031	35	31						
08	300	10	8	CLR	3034	40	36						
09	300	10	8	CLR	3036	50	46						
10	300	10	8	CLR	3038	52	48						
11	300	10	8	CLR	3036	51	47						
12	330	10	8	SCT	3034	48	44	2	20000	CI			
13	330	10	8	SCT	3031	48	44	2	20000	CI			
14	340	10	8	SCT	3030	51	47	2	20000	CI			
15	340	10	8	SCT	3030	52	48	1	20000	CI			
16	340	10	8	SCT	3030	54	50	1	20000	CI			
17	340	10	8	SCT	3030	54	50	1	20000	CI			
18	320	10	8	SCT	3031	50	46	4	20000	CI			
19	320	6	2	CLR	3034	49	46						
20	320	6	2	CLR	3034	49	46						
21	320	6	2	CLR	3032	49	46						
22	340	6	2	CLR	3032	49	46						
23	340	2	2	CLR	3032	44	40						
24	340	2	2	CLR	3028	44	40						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA BERTH THREE AT US NAVAL SHIPYARD, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. CONDITION OF READINESS VI AND MATERIAL CONDITION YOKE SET.

J. K. Hicks
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS: ABSENTEES: NONE.

J. K. Hicks
LTJG USN

APPROVED: W. F. Waugh, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Hicks LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 20 (Date) FEB (Month), 19 60

08-12 MOORED AS BEFORE

T B Wilkinson
ENS USNR

12-16 MOORED AS BEFORE

T B Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

T B Wilkinson

20-24 MOORED AS BEFORE.

T B Wilkinson

APPROVED: W. L. Vaughn, LCDR, U. S. N. COMMANDING

EXAMINED: J. R. Hickman Jr U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 21 (Date) FEB (Month), 19 60

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	340	2	2	ER	3026	44	40						
02	340	2	7	ecl	3024	44	40						
03	340	2	2	ecl	3022	43	40						
04	340	2	7	SCT	3021	43	40	3	20000	CU			
05	340	2	7	BKN	3020	42	39	7	20000	CU			
06	340	2	2	BKN	3020	45	41	7	20000	CU			
07	340	2	4	BKN	3021	48	45	7	15000	AC			
08	340	2	5	BKN	3021	52	48	9	15000	AC			
09	340	2	5	BKN	3021	53	50	9	15000	AC			
10	340	2	5	BKN	3021	57	54	9	15000	AC			
11	340	2	5	BKN	3020	57	54	9	20000	AC			
12	155	6	8	SCT	3017	58	54	3	10000	CI			
13	155	5	8	SCT	3016	60	56	5	10000	CU			
14	135	5	8	BKN	3014	58	54	7	10000	CU			
15	135	5	8	BKN	3010	58	54	6	10000	SC			
16	135	5	8	BKN	3006	58	54	6	10000	SC			
17	135	5	7	BKN	3002	58	54	6	1000	SC			
18	135	5	5	BKN	3002	58	54	6	1000	CU			
19	135	5	5	BKN	3002	55	51	6	1600	CU			
20	135	5	5	R	3004	55	51	6	1600	CU			
21	135	4	3	BKN	3004	50	46	8	1600	CU			
22	135	4	3	BKN	3002	50	46	8	1600	CU			
23	135	5	3	BKN	3000	50	46	9	1600	CU			
24	085	5	5	BKN	3000	50	46	9	1600	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA BERTH THREE AT U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS VI AND CONDITION YOKE ARE SET.

TG Wilkinson
ENS USNR

04-08 MOORED AS BEFORE 0750 MUSTERED CREW ON STATION. ABSENTEES: NONE

TG Wilkinson
ENS USNR

APPROVED: W L Douglas, LCDR, U. S. N. COMMANDING

EXAMINED: J K Hicks LT(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY ~~MONDAY~~ (Day) 21 ~~22~~ (Date) FEB (Month), 19 60

08-12 MOORED AS BEFORE

T G Wilkinson
ENS USNR

12-16 MOORED AS BEFOEE

T G Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

T G Wilkinson
ENS USNR

20-24 MOORED AS BEFORE

T G Wilkinson
ENS, USNR

APPROVED: W. L. Douglas, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 45 DATE MONDAY (Day) 22 (Date) FEB (Month), 19 60

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	000	2	2	L	2997	50	46	10	1000	ST			
02	000	2	2	L	2994	50	46	10	1000	ST			
03	000	2	2	L	2992	50	46	10	1200	ST			
04	000	2	2	R	2990	50	46	10	1200	ST			
05	000	2	2	R	2990	50	46	10	1200	ST			
06	000	2	2	R	2990	50	46	10	1200	ST			
07	185	3	3	R	2992	49	45	10	1200	ST			
08	175	4	4	R	2994	48	44	10	1200	ST			
09	175	4	4	R	2996	47	43	10	1200	ST			
10	175	4	4	R	2998	46	41	10	1200	ST			
11	175	4	4	R	2998	50	46	10	1200	ST			
12	175	4	4	R	3000	50	46	10	1200	NS			
13	180	4	4	R	3003	52	48	10	1200	NS			
14	000	6	4	OVC	3003	56	52	10	1200	NS			
15	140	5	8	R	2999	52	48	10	1200	NS			
16	140	5	8	OVC	2996	51	47	10	1200	NS			
17	140	5	6	OVC	2996	51	47	10	1200	NS			
18	140	4	4	OVC	2996	51	47	10	1200	NS			
19	140	4	4	BKN	2998	50	46	8	1200	NS			
20	145	3	4	SCT	3000	50	46	4	1200	NS			
21	145	3	4	CLR	3003	49	45	0					
22	145	2	4	CLR	3005	47	44	0					
23	145	2	4	CLR	3006	45	41	0					
24	145	2	4	CLR	3006	44	40	0					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO PIER DELTA BERTH THREE AT U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS VI AND CONDITION YOKE IS SET.

T G Wilkinson
ENS USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED CREW ON STATION. ABSENTEES: NONE

T G Wilkinson
ENS USNR

APPROVED: W. F. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Fiche 4-7-6 U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO 519 MONDAY (Day) 22 (Date) FEBRUARY (Month) 19 60

08-12 MOORED AS BEFORE.

J. K. Fiche
LT(jg) USN

12-16 MOORED AS BEFORE.

J. K. Fiche
LT(jg) USN

16-20 MOORED AS BEFORE.

J. K. Fiche
LT(jg) USN

20-24 MOORED AS BEFORE.

J. K. Fiche
LT(jg) USN

APPROVED:

W. L. Haught, LCDR, U. S. N. COMMANDING

EXAMINED:

J. K. Fiche LT(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5 DATE TUESDAY (Day) 23 (Date) FEBRUARY (Month), 19 60

AT/~~PASSAGE~~ FROM CHARLESTON, S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	000	2		F	3007	42	38						
02				F	3007	43	39						
03	250	2		F	3007	48	45						
04	340	5	FOG	F	3009	39	35						
05	340	5	FOG	F	3009	38	34						
06	340	5	1	CLR	3009	37	33						
07	340	5	2	SCT	3009	38	34	CU	20,000				
08	340	6	5	CLR	3020	40	36						
09	340	6	6	CLR	3018	43	39						
10	340	6	7	CLR	3020	45	41						
11													
12	345	8	7	CLR	3020	50	46						
13	345	5	7	CLR	3020	51	47						
14	045	5	7	CLR	3017	53	49						
15	045	3	5	CLR	3016	54	50						
16	045	3	5	CLR	3016	50	46						
17	045	3	5	CLR	3016	50	46						
18	045	3	5	CLR	3016	50	46						
19	045	3	5	CLR	3016	50	46						
20	045	3	5	CLR	3016	50	46						
21	050	3	10	CLR	3019	47	43						
22	050	3	10	CLR	3019	45	41						
23	060	2	10	CLR	3020	44	40						
24	060	3	8	CLR	3020	42	38						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO PIER DELTA BERTH THREE US NAVAL SHIPYARD, CHARLESTON, SC, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS AND VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE SET.

J. K. Fisher
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS: ABSENTEES: NONE.

J. K. Fisher
LTJG USN

APPROVED: W. L. Haughey, LCDR U. S. N. COMMANDING

EXAMINED: J. K. Fisher LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 23 (Date) FEB (Month), 19 60

0812 - MOORED AS BEFORE. 0820 TANKER YO 129 ALONGSIDE TO STARBOARD. 0830 COMMENCED TAKING ON FUEL. 0907 SECURED FROM TAKING ON FUEL. RECEIVED 5868 GALS. TOPPED OFF TO 95%. 0978 YO 129 UNDERWAY FROM ALONGSIDE

T B Wilkinson
ENS USNR

12-16 MOORED AS BEFORE

T B Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

T B Wilkinson
ENS USNR

20-24 MOORED AS BEFORE

T B Wilkinson
ENS USNR

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 24 (Date) FEB (Month), 1960

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	22	8	CLR	3020	45	41						
02	060	55	8	CLR	3018	44	40						
03	060	55	8	CLR	3018	45	40						
04	060	58	8	CLR	3017	45	40						
05	060	8	8	CLR	3016	45	40						
06	060	15	8	CLR	3018	40	36						
07	090	15	8	CLR	3018	40	36						
08	090	10	8	CLR	3019	47	34						
09	090	10	10	SCT	3019	51	47	5	20000	CU			
10	090	10	10	SCT	3018	55	47	3	20000	CU			
11	070	8	10	SCT	3020	56	45	3	20000	CU			
12	050	6	10	SCT	3017	57	52	3	20000	CU			
13	075	4	10	SCT	3014	58	52	3	20000	CU			
14	055	4	10	SCT	3010	57	53	10	6500	CU			
15	045	4	3	OVC	3007	56	52	10	6500	CU			
16	03~~5~~	4	3	OVC	3004	58	54	10	6500	CU			
17	035	4	5	OVC	3004	58	54	10	6500	CU			
18	035	5	5	OVC	3004	55	51	10	6500	CU			
19	020	5	5	OVC	3002	55	51	10	6500	CU			
20	020	5	5	OVC	3001	56	52	10	1600	CU			
21	070	5	2	OVC	3000	57	53	10	1600	CU			
22	070	5	2	RN	3000	54	52	10	1600	CU			
23	070	5	2	RN	3000	56	52	10	1600	CU			
24	070	5	2	RN	3098	57	53	10	1600	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
~~191~~ GHB

FUEL CONSUMED 0000-2400
191

REMARKS

00-04 MOORED PORTSIDE TO PIER DELTA BERTH THREE AT U.S. NAVAL SHIPYARD, CHARLESTON, SC. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SODA IS COMINANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ALANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. CONDITION OF READINESS VI AND CONDITION YOKE ARE SET.

TG Wilkinson
ENS USNR

04-08 - MOORED AS BEFORE. 0726 SOUNDED SPECIAL SEA DETAIL. 075H MUSTERED CREW ON STATION. ABSENTEES: NONE. 0800 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT - FWD: 10'5", AFT. 11'2". YTB ~~MOORED~~ 388 ALONGSIDE TO STARBOARD. PILOT DEHAMAR ON BOARD. TW

TG Wilkinson
ENS USNR

APPROVED: W. F. Waugh, LCDR, U. S. N. COMMANDING

EXAMINED: J. K. Stokes LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Wed (Day) 24 (Date) Feb. (Month), 1960

08-12 Moored as before. 0800 Captain and Navigator are on the Bridge. Captain has the conn. 0804 Underway for Charleston OP-AREA to conduct sea trials in accordance COMNAVSHIPYD instructions. Steering various courses and speeds to conform with Cooper River Channel. 0813 Pilot left the ship. Tug is underway from alongside. 0815 Fresh water casualty to port main engine; underway on starboard main engine only. 0910 Casualty to port main engine restored. Proceeding on both main engines. 0915 Ship dead in the water to conduct test drop of motor whale boat. 0926. Test drop of motor whale boat completed. Steering various courses and speeds to conform with Charleston Harbor channel. 1000 Set course 118°. Commence full power run. 1115 ℄ to 310°. Completed full power run. ## 1120 Commence test of rudder. Steering various courses and speeds to conduct test. 1147 Secured from rudder test. Set course 305°, speed 11 Knots. Secured from sea detail.

W. J. Holloway
LTJG, USN

12-16 Steaming as before. 1235 ℄ to 298°. 1305 Buoy "2C" abeam to starboard, 600 yards. 1320 Set sea detail. Made all preparations for entering port. Captain and Navigator are on the bridge. The OOD has the conn. Steering various courses and speeds standing into Charleston Harbor. 1350 Ship dead in water to conduct test drop of anchor. 1433 Anchor aweigh. Underway steering various courses and speeds to conform with channel. 1526 Tug alongside to port. Pilot Swore aboard. 1539 Moored starboard side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: R. Hicks LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (CMS0519) ZONE DESCRIPTION +5 DATE Thur. (Day) 25 (Date) Feb. (Month), 1960

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	080	6	1	R	2984	58	55	10	2500	NS			
02	080	6	1	R	2981	60	57	10	2500	NS			
03	080	6	1	R	2977	63	60	10	2500	NS			
04	120	3	3	R	2976	60	57	10	2500	NS			
05	185	3	3	R	2979	61	58	10	1600	NS/CU			
06	190	3	3	R	2978	60	57	10	1600	NS/CU			
07	190	2	2	R	2978	60	57	10	1600	NS/CU			
08	190	7	2	R	2974	63	60	10	1600	NS/CU			
09	190	7	4	OVC	2971	63	60	10	1600	CU			
10	190	7	4	OVC	2970	63	60	10	1600	CU			
11	210	13	5	OVC	2971	67	64	10	1600	CU			
12	210	13	5	OVC	2970	68	65	10	1600	CU			
13	210	10	5	OVC	2970	69	65	10	1600	CU			
14	210	10	5	OVC	2970	67	64	10	1600	CU			
15	210	8	5	OVC	2969	66	62	10	1600	CU			
16	250	4	8	OVC	2967	68	65	10	1600	CU			
17	250	7	4	OVC	2968	68	65	10	1600	CU			
18	250	4	4	OVC	2970	63	60	10	1600	CU			
19	230	4	4	OVC	2970	62	59	10	1600	ST			
20	230	4	4	OVC	2972	62	59	10	1600	ST			
21	220	4	4	OVC	2974	62	59	10	1600	ST			
22	210	4	4	OVC	2977	62	59	10	1600	ST			
23	210	4	4	OVC	2977	59	56	10	1600	ST			
24	210	2	5	OVC	2978	57	55	10	1600	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 56

FUEL CONSUMED 0000-2400: 999

REMARKS

00-04 Moored starboard side to pier Delta, ~~berth 3~~ Charleston Naval Shipyard, Charleston, S.C. with standard mooring lines doubled at berth 3. SOPA is COMINCHANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving all services from the pier. Ship is in condition of readiness IV. Material condition Yoke is set. W.D. Holloway LTJG, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none. W.D. Holloway LTJG, USN

APPROVED: W.L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 25 (Date) FEBRUARY (Month), 19 60

08-12 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

12-16 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

16-20 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

20-24 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

APPROVED:

W.L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED:

J.K. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABility (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 26 (Date) FEB (Month), 19 60

AT/PASSAGE FROM CHARLESTON, So CAR. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	13	5	OVC	2979	56	53	10	1600	ST			
02	210	13	5	OVC	2980	55	52	10	1600	ST			
03	210	13	5	OVC	2981	54	51	10	1600	ST			
04	210	8	5	OVC	2983	47	44	10	1600	ST			
05	210	5	5	OVC	2986	44	41	10	1600	ST			
06	260	5	8	SCT	2989	40	36	3	2500	CC			
07	260	4	8	SCT	2991	42	37	3	2500	CC			
08	260	4	10	SCT	2993	43	40	2	2500	CC			
09	270	10	10	SCT	2995	44	41	2	2000	CC			
10	270	10	10	SCT	2998	45	42	2	2000	CC			
11	270	10	10	SCT	2998	49	46	2	2000	CC/AC			
12	270	10	10	CLR	2998	50	48						
13	270	10	10	CLR	2998	54	51						
14	250	9	10	CLR	2996	55	51						
15	250	8	10	CLR	2998	57	53						
16	250	6	8	CLR	2998	56	54						
17	250	5	7	CLR	3000	55	52						
18	250	4	6	CLR	3000	53	50						
19	250	5	5	CLR	3003	53	50						
20	250	5	5	CLR	3006	53	50						
21	250	8	5	CLR	3006	50	47						
22	250	8	5	CLR	3008	50	47						
23	250	8	5	CLR	3008	45	43						
24	240	8	5	CLR	3009	45	43						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER DELTA, BERTH THREE, CHARLESTON NAVAL SHIPYARD, CHARLESTON, S. C., WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II AND MATERIAL CONDITION YOKE IS SET.

J. R. Hicks
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE

J. R. Hicks
LTJG USN

APPROVED: W. S. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. R. Hicks LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 26 (Date) FEB (Month), 19 60

08-12 MOORED AS BEFORE

T B Wilkinson
ENS USNR

12-16 MOORED AS BEFORE

T B Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

T B Wilkinson
ENS USNR

20-24 MOORED AS BEFORE

T B Wilkinson
ENS USNR

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: J. R. Hicks LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION 45 DATE SATURDAY (Day) 27 (Date) FEB (Month), 19 60

AT/~~PASSAGE~~ FROM CHARLESTON, SoCAR TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	4	2	CLR	3011	41	38						
02	150	4	2	CLR	3014	40	37						
03	150	4	2	CLR	3016	40	37						
04	145	4	2	CLR	3017	40	37						
05	140	3	2	CLR	3017	39	35						
06	150	4	3	CLR	3019	35	31						
07	150	4	3	CLR	3021	33	30						
08	150	4	5	CLR	3024	32	29						
09	150	3	5	SCT	3026	43	41	4	4500	CU			
10	150	3	7	SCT	3027	48	45	4	4500	CU			
11	165	2	7	SCT	3027	48	45	5	4500	CU			
12	155	3	7	SCT	3027	52	49	5	5000	CU			
13	170	3	8	SCT	3028	57	54	5	5000	CU			
14	185	2	8	SCT	3026	54	51	5	5000	CU			
15	165	4	8	SCT	3026	53	50	5	5000	CU			
16	165	4	8	SCT	3026	56	53	5	5000	CU			
17	165	4	7	SCT	3028	54	51	4	5000	CU			
18	160	3	6	SCT	3030	52	39	2	5000	CU			
19	160	3	4	CLR	3030	50	46						
20	160	2	5	CLR	3030	50	46						
21	160	2	5	CLR	3029	50	46						
22	160	2	5	CLR	3029	50	46						
23	160	1	5	CLR	3026	51	48						
24	160	1	5	CLR	3025	51	48						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER DELTA, BERTH 3, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS VI AND CONDITION YOKE SET.

TB Wilkinson
ENS USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED CREW ON STATION. ABSENTEES: NONE

TB Wilkinson
ENS USNR

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

JK Fichter LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (CMSO 519) Sat (Day) 27 (Date) Feb. (Month), 1960

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sunday (Day) 28 (Date) FEB (Month), 19 60

AT/PASSAGE FROM CHARLESTON, SoCAR TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	110	2	4	CLR	30.26	50	50	—	—	—	—	—	—
02	104	3	4	CLR	3028	50	50	—	—	—	—	—	—
03	105	2	4	CLR	3028	48	48	—	—	—	—	—	—
04	073	2	1	CLR	3026	42	41	—	—	—	—	—	—
05	045	2	1	CLR	3025	41	40	—	—	—	—	—	—
06	045	3	2	CLR	3025	40	40	—	—	—	—	—	—
07	190	3	5	SCT	3026	45	43	2	6500	ST	—	—	—
08	190	4	6	SCT	3026	50	48	3	6500	ST	—	—	—
09	190	4	6	SCT	3025	54	52	3	6500	ST	—	—	—
10	190	5	7	BKN	3025	59	57	5	6500	ST	—	—	—
11	350	5	7	BKN	3026	62	61	6	6500	ST	—	—	—
12	230	5	7	BKN	3023	63	62	6	6500	ST	—	—	—
13	240	5	7	BKN	3020	62	62	6	6500	ST	—	—	—
14	235	5	8	BKN	3018	63	62	6	6500	ST	—	—	—
15	235	5	8	OVC	3018	68	66	6	6500	ST	—	—	—
16	073	5	8	OVC	3018	65	63	9	6500	SC	—	—	—
17	040	2	8	SCT	3015	63	62	9	6500	SC	—	—	—
18	025	2	7	CLR	3015	60	60	6	6500	SC	—	—	—
19	075	2	5	CLR	3014	58	58	3	4000	SC	—	—	—
20	075	2	5	CLR	3014	57	56	2	4000	SC	—	—	—
21	075	2	5	CLR	3013	57	56	2	4000	SC	—	—	—
22	075	2	5	CLR	3013	55	55	2	4000	SC	—	—	—
23	075	2	5	CLR	3012	53	51	2	4000	SC	—	—	—
24	075	2	5	SCT	3014	52	50	2	4000	SC	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled. SOPA is COMINCHANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleet plus various yard and district craft. Receiving all services from the pier. Material condition Yoke is set. Ship is in condition of readiness VI.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED:
W. L. Waugh, LCDR, U. S. N. COMMANDING

EXAMINED:
J. K. Hicks LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun. (Day) 28 (Date) Feb. (Month), 19 60

08-12 Moored as before.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED:

W. L. Vaughn, USNR, U. S. N. COMMANDING

EXAMINED:

H. K. Hicks LT/jg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Mon (Day) 29 (Date) Feb. (Month), 19 60

AT/PASSAGE FROM Charleston, S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	070	1	3	SCT	3009	52	49	2	4000	SC			
02	070	1	3	SCT	3009	51	48	2	4000	SC			
03	070	1	3	SCT	3009	49	46	2	4000	SC			
04	070	1	4	SCT	3010	49	46	3	4000	SC			
05	060	2	4	SCT	3010	49	46	4	3500	SC			
06	060	2	4	SCT	3010	50	46	4	3500	SC			
07	100	2	4	BKN	3010	49	46	8	3500	SC			
08	120	2	8	OVC	3012	51	47	10	3500	SC			
09	220	2	10	OVC	3015	53	50	10	3500	AC			
10	340	2	10	OVC	3016	51	48	10	6500	AC/AS			
11	010	2	10	OVC	3020	51	48	10	6500	AC/AS			
12	010	6	10	OVC	3020	58	55	10	6500	AC/AS			
13	010	10	10	OVC	3020	58	55	10	6500	AC/AS			
14	010	10	10	OVC	3018	58	55	10	6500	AC/AS			
15	010	10	10	OVC	3016	58	55	10	3500	AC/AS			
16	010	5	10	OVC	3016	61	59	10	3500	ST			
17	160	5	6	OVC	3017	60	57	10	3500	ST			
18	160	3	6	OVC	3019	59	56	10	3500	ST			
19	160	3	6	OVC	3022	57	54	9	3500	ST			
20	160	3	6	BKN	3023	56	53	8	3500	ST			
21	160	3	6	CLR	3020	54	51						
22	160	3	5	CLR	3021	53	50						
23	160	3	5	CLR	3023	53	50						
24	160	3	5	CLR	3024	48	45						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to pier Delta, berth 3, U.S. Naval Shipyard, Charleston, S.C with standard mooring lines doubled. SOPA is COMINCHANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleet plus various yard and district craft. Receiving all services from the pier. Material condition Yoke is set. Ship is in condition of readiness III

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew at quarters. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED: K. Fisher LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MON (Day) 29 (Date) FEB (Month), 19 60

08-12 MOORED AS BEFORE

T G Wilkinson
ENS USNR

12-16 MOORED AS BEFORE

T G Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

T G Wilkinson
ENS USNR

20-24 MOORED AS BEFORE

T G Wilkinson
ENS USNR

APPROVED:

W. L. Hough, LCDR, U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR